

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: BeBulbs

Supplier's address: Creative Cables spa, Lungo Dora P. Colletta 113/9, 10153 Torino Torino TO, IT

Model identifier: FIL-BB-K04

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	E27		
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes

Product parameters

Parameter	Value	Parameter	Value
-----------	-------	-----------	-------

General product parameters:

Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	5	Energy efficiency class	C
Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	806 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode power (P_{on}), expressed in W	4,8	Standby power (P_{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimensions without separate control gear, lighting control	Height	178	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	125	
	Depth	125	
			See image in last page

parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power ^(a)	Yes	If yes, equivalent power (W)	60
		Chromaticity coordinates (x and y)	0,463 0,420
Parameters for LED and OLED light sources:			
R9 colour rendering index value	0	Survival factor	0,90
the lumen maintenance factor	0,96		
Parameters for LED and OLED mains light sources:			
displacement factor (cos ϕ_1)	0,00	Colour consistency in McAdam ellipses	6
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	-(b)	If yes then replacement claim (W)	-
Flicker metric (Pst LM)	1,0	Stroboscopic effect metric (SVM)	0,4

(a)-: not applicable;

(b)-: not applicable;

ANNEX 4	Public information for registration
----------------	--

Parameters for LED and OLED light sources:	
Parameters	Value
R9 colour rendering index	0
Survival factor	0,90
Lumen maintenance factor	0,96
Parameters for LED and OLED mains light sources:	
Parameters	Value
Displacement factor	-
Colour consistency in McAdam ellipses	6
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> Not applicable
Replacement claim (W)	N/A
Flicker metric (P _{st} LM)	1,0
Stroboscopic effect metric (SVM)	0,4
Spectral power distribution in the range 250 nm to 800 nm, at full-load	

Model placed on the Union market from 03/11/2025.



EPREL registration number: 2451419

<https://eprel.ec.europa.eu/qr/2451419>

Supplier: Mosaic S.p.A. (Importer)

Website: www.mosaicluce.com

Customer care service:

Name: Creative Cables spa

Website: <https://www.creative-cables.com/>

Email: luca.minelli@creative-cables.com

Phone: 0110203801

Address:

Lungo Dora P. Colletta 113/9

10153 Torino

Italy